This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (Currently amended): A flexible pipe for transporting a

Listing of Claims

pressurized fluid in a marine environment, the pipe comprising an inner liner for confining the fluid to be transported by the pipe, an two or more armouring layers surrounding the liner, and an outermost protective water permeable sheath surrounding the armouring layer, wherein the two or more armouring layers comprises at least two armouring layers wound with opposite winding angles, said outermost protective sheath comprises at least two protective layers of helically wound composite wires, said at least two layers being wound with essentially opposite

or to possible intermediate layers or membranes but <u>are is</u>able

winding angles and being locally held together, and wherein the

armouring layers are is not chemically bonded to the inner liner

to move relative to the inner liner or the possibly intermediate

layers or membranes, and wherein no additional water tight layer

or_layers are covering the outer protective sheath.

Claim 2 (Previously presented): A flexible pipe according to claim 1

wherein said at least two protective layers have adjacent

Page 2 of 14

surfaces of contact comprising areas which are held together and

areas which are un-tied to each other.

Claim 3 (Previously presented): A flexible pipe according to claim 2

wherein said at least two protective layers are locally held

together to provide local fixation of the wires of one layer of

the at least two protective layers with respect to another layer

of the at least two protective layers, while allowing for shear

deformation between the protective layers in areas of said

adjacent surfaces that are un-tied to each other.

Claim 4 (Withdrawn): A flexible pipe according to claim 2,

wherein said at least two protective layers are held together by

a localized bonding implemented by a glue or a heat- or

pressure-induced localized melting, distributed on said adjacent

surfaces of contact.

Claim 5 (Previously presented): A flexible pipe according to claim 2

wherein said at least two protective layers are held together by

at least one discrete string of binding material located on said

adjacent surfaces of contact, said string of binding material

Page 3 of 14

extending in a longitudinal direction of the flexible pipe and

crossing the composite wires of said protective layers.

Claim 6 (Original): A flexible pipe according to claim 5 wherein

a multitude of essentially linear and continuous strings of

binding material are distributed around the periphery of the

contacting surfaces of adjacent protective layers.

Claim 7 (Withdrawn): A flexible pipe according to claim 5

wherein said binding material is chosen from the group

consisting of hot melt adhesive, thermoplastic polymer, cross

linked polymer adhesive, and vulcanizing paste.

Claim 8 (Previously presented): A flexible pipe according to claim 1

wherein said composite wires comprise a number of chords, at

least one of said chords being locally linked to at least one

neighbouring chord.

Claim 9 (Original): A flexible pipe according to claim 8 wherein

said at least one chord is linked to said at least one

neighbouring chord along their adjacent longitudinal surface.

Page 4 of 14

Appl. No. 10/575,134

Amdt. Dated: February 21, 2011

Reply to Office action of November 24, 2010

Claim 10 (Original): A flexible pipe according to claim 9 wherein

said at least one chord is fully or partially melted to said at

least one neighbouring chord along their adjacent longitudinal

surface.

Claim 11 (Previously presented): A flexible pipe according to claim

8 wherein each chord comprises a number of threads twisted

around a longitudinal axis of the chord and at least one of said

threads comprise a thread binding material.

Claim 12 (Withdrawn): A flexible pipe according to claim 11,

wherein said threads are twisted around a central element.

Claim 13 (Withdrawn): A flexible pipe according to claim 12

wherein said central element comprises filaments of a metallic

material such as copper or a copper alloy.

Claim 14 (Previously presented): A flexible pipe according to claim

8 wherein said chords constitute a tape-formed wire.

Claim 15 (Previously presented): A flexible pipe according to claim

11 wherein said thread binding material is a material chosen

Page 5 of 14

Appl. No. 10/575,134

Amdt. Dated: February 21, 2011

Reply to Office action of November 24, 2010

from the group of thermoplastic polymers, and rubbers that may

be vulcanized.

Claim 16 (Previously presented): A flexible pipe according to claim

11 wherein said threads comprise a number of fibres or

filaments.

Claim 17 (Previously presented): A flexible pipe according to claim

16, wherein said fibres or filaments are of a material chosen

from the group of polyester, aramide, polyethylene, titanium,

and copper.

Claim 18 (Previously presented): A flexible pipe according to claim

16 wherein said fibres or filaments are fully or partially

protected by a jacket, a coating or an impregnation.

Claim 19 (Currently amended): A flexible pipe according to claim 1

wherein a water-permeable intermediate layer is located between

said armouring layer and said outermost protective sheath.

Claim 20 (Currently amended): A method of manufacturing a flexible

pipe of claim 1, the method comprising: providing an inner liner

Page 6 of 14

for confining the fluid to be transported by the pipe; providing

an armouring layer surrounding the liner; and providing an

outermost protective sheath surrounding the armouring layer,

comprising providing a composite wire, and providing at least

two protective layers, each layer being arranged by helically

winding at least one of said composite wires, said at least two

layers being wound with essentially opposite winding angles and

being locally held together.

Claim 21 (Previously presented): A method according to claim 20,

wherein at least one discrete string of binding material is

applied to the contacting surfaces of neighbouring protective

layers, said string of binding material being arranged to extend

in a longitudinal direction of the flexible pipe and to cross

the composite wires of said protective layers.

Claim 22 (Previously presented): A method according to claim 20,

further comprising providing a number of chords, and arranging

said chords to a wire so that at least one of said chords is

locally linked to at least one neighbouring chord.

Page 7 of 14

Appl. No. 10/575,134

Amdt. Dated: February 21, 2011

Reply to Office action of November 24, 2010

Claim 23 (Previously presented): A method according to claim 22,

further comprising providing a number of threads wherein at

least one thread comprises a binding material, and arranging

said threads to a chord.

Claim 24 (Previously presented): A method according to claim 23,

wherein said threads are twisted around a longitudinal axis of

the chord.

Claim 25 (Withdrawn): A method according to claim 24, wherein

further comprising providing a central element and winding said

threads around said central element.

Claim 26 (Previously presented): A method according to claim 22,

comprising arranging a binding material between adjacent

longitudinal surfaces of said neighbouring chords.

Claim 27 (Previously presented): A method according to claim 22,

comprising arranging adjacent longitudinal surfaces of said

neighbouring chords to be fully or partially melted together.

Page 8 of 14